



Products

Catalog





DIAMONDS


FG 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

801




ROUND											
(mm)											
ORDER NO.	801/008	801/009	801/010	801/012	801/014	801/016	801/018	801/021	801/023	801/025	801/027
GRIT	M	M	C	C	C	C	C	C	C	C	C
HEAD SIZE	0.8	0.9	1.0	1.2	1.4	1.6	1.8	2.1	2.3	2.5	2.7
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0



802




ROUND WITH COLLAR						
(mm)						
ORDER NO.	802/009	802/010	802/012	802/014	802/016	802/018
GRIT	M	M	C	C	C	C
HEAD SIZE	0.9	1.0	1.2	1.4	1.6	1.8
HEAD LENGTH	3.0	3.0	3.0	3.5	3.5	3.5
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	19.0



805




INVERTED CONE							
(mm)							
ORDER NO.	805/008	805/009	805/010	805/012	805/014	805/016	805/018
GRIT	C	C	C	C	C	C	C
HEAD SIZE	0.8	0.9	1.0	1.2	1.4	1.6	1.8
HEAD LENGTH	1.0	1.0	1.0	1.5	1.5	1.5	2.0
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	19.0	19.0



807




LONG INVERTED CONE						
(mm)						
ORDER NO.	807/009	807/012	807/014	807/016	807/018	807/025
GRIT	M	C	C	C	C	C
HEAD SIZE	0.9	1.2	1.4	1.6	1.8	2.5
HEAD LENGTH	3.0	3.0	3.0	4.0	4.5	6.0
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	18.0



806




INVERTED CONE WITH COLLAR							
(mm)							
ORDER NO.	806/009	806/010	806/012	806/016	806/018	806/012A	806/008
GRIT	M	M	C	C	C	C	C
HEAD SIZE	0.9	1.0	1.2	1.6	1.8	1.2	0.8
HEAD LENGTH	2.5	2.5	3.0	3.5	3.5	3.2	3.2
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	19.0	19.0



813




DIABOLO			
(mm)			
ORDER NO.	813/010	813/014	813/016
GRIT	M	C	C
HEAD SIZE	1.0	1.4	1.6
HEAD LENGTH	1.5	1.8	2.0
TOTAL LENGTH	19.0	19.0	19.0



811



DOUBLE CONE						
(mm)						
ORDER NO.	811/036	811/031	811/032	811/040	811L/036	811L/036A
GRIT	C	C	C	C	C	C
HEAD SIZE	3.6	3.1	3.2	4.0	3.6	3.6
HEAD LENGTH	4.0	4.6	5.0	5.0	5.0	7.0
TOTAL LENGTH	19.0	19.0	19.0	19.0	20.0	21.0



815



WHEEL	
(mm)	
ORDER NO.	815/012
GRIT	M
HEAD SIZE	1.2
HEAD LENGTH	0.5
TOTAL LENGTH	19.0




818



ORDER NO.	818/046
GRIT	M
HEAD SIZE	4.6
HEAD LENGTH	0.6
TOTAL LENGTH	19.0



820



ORDER NO.	820/044
GRIT	C
HEAD SIZE	4.4
HEAD LENGTH	1.3
TOTAL LENGTH	19.0



825




LENTICULAR	
(mm)	
ORDER NO.	825/042
GRIT	C
HEAD SIZE	4.2
HEAD LENGTH	1.5
TOTAL LENGTH	19.0



909



ROUND EDGE WHEEL			
(mm)			
ORDER NO.	909/037	909/042	909/046
GRIT	C	C	C
HEAD SIZE	3.7	4.2	4.6
HEAD LENGTH	1.2	1.5	1.8
TOTAL LENGTH	19.0	19.0	19.0





DIAMONDS

FG 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

830



PEAR				
(mm)				
ORDER NO.	830/010	830/012	830/014	830/016
GRIT	M	C	C	C
HEAD SIZE	1.0	1.2	1.4	1.6
HEAD LENGTH	3.0	3.0	3.0	3.0
TOTAL LENGTH	19.0	19.0	19.0	19.0

830L

(mm)					
ORDER NO.	830L/014	830L/016	830L/018	830L/022	830L/025
GRIT	C	C	C	C	C
HEAD SIZE	1.4	1.6	1.8	2.2	2.5
HEAD LENGTH	5.0	5.0	5.0	5.0	8.0
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0

832

(mm)	
ORDER NO.	832/030 832/033
GRIT	C C
HEAD SIZE	3.0 3.3
HEAD LENGTH	5.0 5.0
TOTAL LENGTH	19.0 19.0

835



CYLINDER					
(mm)					
ORDER NO.	835/008	835/009	835/010	835/012	835/014
GRIT	M	C	C	C	C
HEAD SIZE	0.8	0.9	1.0	1.2	1.4
HEAD LENGTH	4.0	4.0	4.0	4.0	4.0
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0

836

(mm)			
ORDER NO.	836/012	836/014	836/016
GRIT	C	C	C
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	6.0	6.0	6.0
TOTAL LENGTH	20.0	20.0	20.0

837



CYLINDER			
(mm)			
ORDER NO.	837/012	837/014	837/016
GRIT	C	C	C
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	7.0	7.0	7.0
TOTAL LENGTH	21.0	20.0	20.0

837L

(mm)	
ORDER NO.	837L/014 837L/018
GRIT	C C
HEAD SIZE	1.4 1.8
HEAD LENGTH	8.0 8.0
TOTAL LENGTH	22.0 22.0

842

(mm)			
ORDER NO.	842/012	842/014	842/016
GRIT	C	C	C
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	9.0	9.0	9.0
TOTAL LENGTH	23.0	22.0	22.0

838



ROUND END CYLINDER			
(mm)			
ORDER NO.	838/010	838/012	838/014
GRIT	M	C	C
HEAD SIZE	1.0	1.2	1.4
HEAD LENGTH	4.0	4.0	4.0
TOTAL LENGTH	19.0	19.0	19.0

880

(mm)			
ORDER NO.	880/012	880/016	880/018
GRIT	C	C	C
HEAD SIZE	1.2	1.6	1.8
HEAD LENGTH	6.0	7.0	7.0
TOTAL LENGTH	20.0	20.0	20.0

881

(mm)	
ORDER NO.	881/012 881/014
GRIT	C C
HEAD SIZE	1.2 1.4
HEAD LENGTH	8.0 8.0
TOTAL LENGTH	21.0 21.0

845



FLAT END TAPPER			
(mm)			
ORDER NO.	845/010	845/012	845/014
GRIT	M	C	C
HEAD SIZE	1.0	1.2	1.4
HEAD LENGTH	4.0	4.0	5.0
TOTAL LENGTH	19.0	19.0	19.0

846

(mm)			
ORDER NO.	846/012	846/014	846/016
GRIT	M	C	C
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	6.0	7.0	7.0
TOTAL LENGTH	20.0	20.0	20.0

846L

(mm)			
ORDER NO.	846L/010	846L/012	846L/016
GRIT	M	M	C
HEAD SIZE	1.0	1.2	1.6
HEAD LENGTH	7.0	7.0	8.0
TOTAL LENGTH	21.0	21.0	21.0

847

(mm)			
ORDER NO.	847/012	847/014	847/016
GRIT	M	C	C
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	8.0	8.0	8.0
TOTAL LENGTH	21.0	21.0	21.0


848



FLAT END TAPPER							
(mm)							
ORDER NO.	848/010	848/012	848/014	848/016	848/018	848/018A	848/021
GRIT	M	M	C	C	C	C	C
HEAD SIZE	1.0	1.2	1.4	1.6	1.8	1.8	2.1
HEAD LENGTH	10.0	10.0	10.0	10.0	10.0	10.0	10.0
TOTAL LENGTH	23.0	23.0	23.0	23.0	23.0	23.0	23.0

845R

(mm)				
ORDER NO.	845R/016	845R/018	845R/021	845R/025
GRIT	C	C	C	C
HEAD SIZE	1.6	1.8	2.1	2.5
HEAD LENGTH	5.0	5.0	5.0	5.0
TOTAL LENGTH	19.0	19.0	19.0	19.0





DIAMONDS

FG 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

850



ROUND END TAPER (mm)										850L
ORDER NO.	850/012	850/014	850/016	850/017	850/018	850/021	850/025	850/030	850/018A	850L/017
GRIT	C	C	C	C	C	C	C	C	C	C
HEAD SIZE	1.2	1.4	1.6	1.7	1.8	2.1	2.5	3.0	1.8	1.7
HEAD LENGTH	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	11.0
TOTAL LENGTH	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	24.0

855



ROUND END TAPER (mm)								856					
ORDER NO.	855/010	855/012	855/014	855/016	855/025	855/025	855/040	856/012	856/014	856/016	856/018	856/020	856/021
GRIT	M	C	C	C	C	M	M	C	C	C	C	C	C
HEAD SIZE	1.0	1.2	1.4	1.6	2.5	2.5	4.0	1.2	1.4	1.6	1.8	2.0	2.1
HEAD LENGTH	7.0	6.0	7.0	6.0	7.0	8.0	7.0	8.0	8.0	8.0	8.0	8.0	8.0
TOTAL LENGTH	21.0	20.0	20.0	20.0	20.0	23.0	22.0	21.0	21.0	21.0	21.0	21.0	21.0

852



POINTED CONE (mm)				858			859						
ORDER NO.	852/010	852/012		858/012	858/014	858/016	859/010	859/012	859/014	859/016	859/018	859/021	859/024
GRIT	M	M		M	M	M	M	M	M	M	M	M	M
HEAD SIZE	1.0	1.2		1.2	1.4	1.6	1.0	1.2	1.4	1.6	1.8	2.1	2.4
HEAD LENGTH	6.0	6.0		8.0	8.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
TOTAL LENGTH	20.0	20.0		21.0	21.0	21.0	24.0	23.0	23.0	24.0	23.0	23.0	23.0

862



FLAME (mm)					863						889	
ORDER NO.	862/010	862/012	862/014	862/016	863/010	863/012	863/014	863/016	863/018	863/021	889/007	889/008
GRIT	M	M	C	C	M	M	M	C	C	C	M	M
HEAD SIZE	1.0	1.2	1.4	1.6	1.0	1.2	1.4	1.6	1.8	2.1	0.7	0.8
HEAD LENGTH	7.0	8.0	8.0	8.0	10.0	9.0	9.0	10.0	10.0	10.0	3.0	4.0
TOTAL LENGTH	21.0	21.0	21.0	21.0	21.0	22.0	21.0	23.0	23.0	23.0	21.0	21.0

877



FLAME CYLINDER (mm)			884	885	886			878		
ORDER NO.	877/010	877/012	884/012	885/012	886/012	886/014	886/016	878/010	878/012	878/014
GRIT	C	C	C	C	C	C	C	C	C	C
HEAD SIZE	1.0	1.2	1.2	1.2	1.2	1.4	1.6	1.0	1.2	1.4
HEAD LENGTH	6.0	6.0	6.0	8.0	9.0	9.0	9.0	8.0	8.0	9.0
TOTAL LENGTH	20.0	20.0	19.0	21.0	22.0	22.0	22.0	21.0	21.0	21.0

879



FLAME CYLINDER (mm)			
ORDER NO.	879/012	879/014	879/016
GRIT	C	C	C
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	10.0	10.0	10.0
TOTAL LENGTH	23.0	23.0	23.0





DIAMONDS

FG 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

877K



TORPEDO			
(mm)			
ORDER NO.	877K/012	877K/014	877K/014A
GRIT	C	C	C
HEAD SIZE	1.2	1.4	1.4
HEAD LENGTH	7.0	7.0	8.0
TOTAL LENGTH	20.0	20.0	20.0

878K



TORPEDO					
(mm)					
ORDER NO.	878K/010	878K/012	878K/014	878K/016	878K/018
GRIT	M	C	C	C	C
HEAD SIZE	1.0	1.2	1.4	1.6	1.8
HEAD LENGTH	8.0	8.0	8.0	8.0	8.0
TOTAL LENGTH	22.0	22.0	21.0	21.0	21.0

879K



TORPEDO					
(mm)					
ORDER NO.	879K/012	879K/014	879K/016	879K/022	879K/023
GRIT	M	C	C	C	C
HEAD SIZE	1.2	1.4	1.6	2.2	2.3
HEAD LENGTH	10.0	10.0	10.0	10.0	10.0
TOTAL LENGTH	23.0	23.0	23.0	23.0	23.0

379



EGG	
(mm)	
ORDER NO.	379/023 379/026
GRIT	C C
HEAD SIZE	2.3 2.6
HEAD LENGTH	4.0 5.0
TOTAL LENGTH	19.0 20.0

900



CYLINDER/ CONE ROUND WITH STRAIGHT GROOVES			
(mm)			
ORDER NO.	900/016	900/018	900/018A
GRIT	C	C	C
HEAD SIZE	1.6	1.8	1.8
HEAD LENGTH	8.0	8.0	8.0
TOTAL LENGTH	21.0	21.0	21.0

6051



ORDER NO.	6051/018
GRIT	C
HEAD SIZE	1.8
HEAD LENGTH	10.0
TOTAL LENGTH	23.0

6052



ORDER NO.	6052/018
GRIT	C
HEAD SIZE	1.8
HEAD LENGTH	10.0
TOTAL LENGTH	23.0

6053




ORDER NO.	6053/016
GRIT	C
HEAD SIZE	1.6
HEAD LENGTH	10.0
TOTAL LENGTH	23.0

368



PEACHES										
(mm)										
ORDER NO.	368/010	368/012	368/014	368/016	368/018	368/021	368/023	368/030	368/033	368/018A
GRIT	C	C	C	C	C	C	C	C	C	C
HEAD SIZE	1.0	1.2	1.4	1.6	1.8	2.1	2.3	3.0	3.3	1.8
HEAD LENGTH	5.0	5.0	3.0	3.0	4.5	5.0	5.0	5.0	5.0	4.0
TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	19.0	20.0	19.0	19.0	19.0

(mm)								
ORDER NO.	40-010	40A-011	40B-010	41-014	51-016	51A-018	35B-016	51L-016
GRIT	C	C	C	C	C	C	C	C
HEAD SIZE	1.0	1.1	1.0	1.4	1.6	1.8	1.6	1.6
HEAD LENGTH	8.0	9.0	9.5	9.0	10.0	9.0	10.0	10.0
TOTAL LENGTH	21.0	22.0	23.0	21.0	21.0	21.0	23.0	23.0





DIAMONDS

FG SHORT 16-21mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

S801



ROUND									
(mm)									
ORDER NO.	S801/008	S801/009	S801/010	S801/012	S801/014	S801/016	S801/018	S801/021	S801/027
GRIT	M	M	C	C	C	C	C	C	C
HEAD SIZE	0.8	0.9	1.0	1.2	1.4	1.6	1.8	2.1	2.7
TOTAL LENGTH	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0

S802



ROUND WITH COLLAR				
(mm)				
ORDER NO.	S802/009	S802/012	S802/014	S802/016
GRIT	M	M	C	C
HEAD SIZE	0.9	1.2	1.4	1.6
HEAD LENGTH	3.0	3.0	3.0	3.0
TOTAL LENGTH	16.0	16.0	16.0	16.0

S805



INVERTED CONE						
(mm)						
ORDER NO.	S805/008	S805/009	S805/010	S805/012	S805/014	S805/016
GRIT	C	C	C	C	C	C
HEAD SIZE	0.8	0.9	1.0	1.2	1.4	1.6
HEAD LENGTH	1.0	1.0	1.5	1.5	1.5	1.5
TOTAL LENGTH	16.0	16.0	16.0	16.0	16.0	16.0

S806



INVERTED CONE WITH COLLAR				
(mm)				
ORDER NO.	S806/009	S806/010	S806/012	S806/010A
GRIT	M	M	C	C
HEAD SIZE	0.9	1.0	1.2	1.0
HEAD LENGTH	3.0	3.0	3.0	3.2
TOTAL LENGTH	16.0	17.0	16.0	17.0

S807



LONG INVERTED CONE				
(mm)				
ORDER NO.	S807/010	S807/011	S807/012	S807/016
GRIT	M	C	C	C
HEAD SIZE	1.0	1.1	1.2	1.6
HEAD LENGTH	3.0	3.0	4.0	4.0
TOTAL LENGTH	16.0	16.0	16.0	16.0

S837

ORDER NO.	S837/012	S837/014
GRIT	C	C
HEAD SIZE	1.2	1.4
HEAD LENGTH	9.0	9.0
TOTAL LENGTH	19.0	20.0

S835



CYLINDER						
(mm)						
ORDER NO.	S835/008	S835/009	S835/010	S835/012	S835/014	S835/010A
GRIT	M	C	C	C	C	C
HEAD SIZE	0.8	0.9	1.0	1.2	1.4	1.0
HEAD LENGTH	4.0	4.0	4.0	4.0	4.0	3.0
TOTAL LENGTH	16.0	16.0	16.0	16.0	16.0	16.0

S836

CYLINDER	
(mm)	
ORDER NO.	S836/012
GRIT	M
HEAD SIZE	1.2
HEAD LENGTH	6.0
TOTAL LENGTH	17.0

S845




FLAT END TAPER	
(mm)	
ORDER NO.	S845/021
GRIT	C
HEAD SIZE	2.1
HEAD LENGTH	5.0
TOTAL LENGTH	16.0

S846

ORDER NO.	S846/014
GRIT	C
HEAD SIZE	1.4
HEAD LENGTH	6.0
TOTAL LENGTH	16.0

S847

ORDER NO.	S847/010	S847/012	S847/016	S847/018
GRIT	C	C	C	C
HEAD SIZE	1.0	1.2	1.6	1.8
HEAD LENGTH	8.0	8.0	8.0	8.0
TOTAL LENGTH	18.0	19.0	18.0	18.0





DIAMONDS


FG SHORT 16-21mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

S848




FLAT END TAPER							
(mm)							
ORDER NO.	S848/012	S848/014	S848/016	S848/016A	S848/016B	S848/018	S848/018
GRIT	C	C	C	C	C	C	C
HEAD SIZE	1.2	1.4	1.6	1.6	1.6	1.8	1.8
HEAD LENGTH	9.0	10.0	9.0	10.0	10.0	12.0	11.0
TOTAL LENGTH	21.0	21.0	20.0	20.0	20.0	24.0	24.0



S850




ROUND END TAPER								
(mm)								
ORDER NO.	S850/012	S850/014	S850/016	S850/018	S850/014A	S850/016A	S850/018A	S850/018B
GRIT	C	C	C	C	C	C	C	C
HEAD SIZE	1.2	1.4	1.6	1.8	1.4	1.6	1.8	1.8
HEAD LENGTH	9.0	9.0	10.0	10.0	8.0	10.0	10.0	12.0
TOTAL LENGTH	19.0	19.0	21.0	21.0	18.0	21.0	20.0	24.0




S855



ROUND END TAPER					
(mm)					
ORDER NO.	S855/010	S855/012	S855/014	S855/016	S855/016A
GRIT	M	C	C	C	C
HEAD SIZE	1.0	1.2	1.4	1.6	1.6
HEAD LENGTH	6.0	6.0	6.0	7.0	7.0
TOTAL LENGTH	16.0	17.0	17.0	17.0	18.0



S856



ORDER NO.	S856/014	S856/015	S856/016	S856/018	S856/018A	S856/016A
GRIT	C	C	C	C	C	C
HEAD SIZE	1.4	1.5	1.6	1.8	1.8	1.6
HEAD LENGTH	8.0	8.0	8.0	8.0	8.0	7.0
TOTAL LENGTH	19.0	18.0	19.0	19.0	18.0	17.0

S368



PEACHES		
(mm)		
ORDER NO.	S368/018	S368/023
GRIT	C	C
HEAD SIZE	1.8	2.3
HEAD LENGTH	5.0	5.0
TOTAL LENGTH	17.0	17.0




S858



POINTED CONE		
(mm)		
ORDER NO.	S858/010	S858/012
GRIT	M	M
HEAD SIZE	1.0	1.2
HEAD LENGTH	7.5	8.0
TOTAL LENGTH	17.0	18.0



S859



ORDER NO.	S859/010	S859/012	S859/016
GRIT	M	M	M
HEAD SIZE	1.0	1.2	1.6
HEAD LENGTH	10.0	9.0	8.0
TOTAL LENGTH	21.0	19.0	19.0

S859L



ORDER NO.	S859L/010
GRIT	M
HEAD SIZE	1.0
HEAD LENGTH	11.0
TOTAL LENGTH	21.0





DIAMONDS

FG SHORT 16-21mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

S862



FLAME		
(mm)		
ORDER NO.	S862/012	S862/014
GRIT	M	C
HEAD SIZE	1.2	1.4
HEAD LENGTH	6.0	8.0
TOTAL LENGTH	16.0	18.0

S863



ORDER NO.	S863/014
GRIT	C
HEAD SIZE	1.4
HEAD LENGTH	10.0
TOTAL LENGTH	21.0

S889




ORDER NO.	S889/010
GRIT	M
HEAD SIZE	1.0
HEAD LENGTH	4.0
TOTAL LENGTH	18.0

S877



FLAME CYLINDER				
(mm)				
ORDER NO.	S877/010	S877/012	S877/010A	S877/012A
GRIT	C	C	C	C
HEAD SIZE	1.0	1.2	1.0	1.2
HEAD LENGTH	6.0	7.0	8.0	8.0
TOTAL LENGTH	17.0	16.0	19.0	19.0

S878



ORDER NO.	S878/010	S878/012
GRIT	C	C
HEAD SIZE	1.0	1.2
HEAD LENGTH	8.0	8.0
TOTAL LENGTH	19.0	19.0

S877K




TORPEDO								
(mm)								
ORDER NO.	S877K/012	S877K/014	S877K/014A	S877K/012A	S877K/016	S877K/016A	S877K/016B	S877K/018
GRIT	C	C	C	C	C	C	C	C
HEAD SIZE	1.2	1.4	1.4	1.2	1.6	1.6	1.6	1.8
HEAD LENGTH	6.0	7.0	7.0	6.0	7.0	10.0	8.0	8.0
TOTAL LENGTH	18.0	18.0	18.0	15.0	16.0	20.0	18.0	18.0

S878K



TORPEDO			
(mm)			
ORDER NO.	S878K/012	S878K/014	S878K/016
GRIT	M	M	M
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	8.0	10.0	8.0
TOTAL LENGTH	19.0	22.0	18.0

S879K



ORDER NO.	S879K/014	S879K/016
GRIT	C	C
HEAD SIZE	1.2	1.6
HEAD LENGTH	10.0	10.0
TOTAL LENGTH	20.0	20.0

S811



DOUBLE CONE	
(mm)	
ORDER NO.	S811/031
GRIT	C
HEAD SIZE	3.1
HEAD LENGTH	5.0
TOTAL LENGTH	16.0

S830



PEAR		
(mm)		
ORDER NO.	S830/031	S830/016
GRIT	M	C
HEAD SIZE	3.1	1.6
HEAD LENGTH	5.0	4.0
TOTAL LENGTH	16.0	16.0

S830L



ORDER NO.	S830L/022
GRIT	C
HEAD SIZE	2.2
HEAD LENGTH	5.0
TOTAL LENGTH	16.0

S881



ORDER NO.	S881/018	S881/021
GRIT	C	C
HEAD SIZE	1.8	2.1
HEAD LENGTH	5.0	6.0
TOTAL LENGTH	16.0	16.0





DIAMONDS

FG FINE 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

F846



FLAT END TAPER	
(mm)	
ORDER NO.	F846/014
GRIT	F
HEAD SIZE	1.4
HEAD LENGTH	7.0
TOTAL LENGTH	20.0

F846L



F847	
(mm)	
ORDER NO.	F847/012
GRIT	F
HEAD SIZE	1.2
HEAD LENGTH	8.0
TOTAL LENGTH	21.0

F847

F848

F830L




PEAR	
(mm)	
ORDER NO.	F30L/020
GRIT	F
HEAD SIZE	2.0
HEAD LENGTH	5.0
TOTAL LENGTH	19.0

F850



ROUND END TAPER	
(mm)	
ORDER NO.	F850/012
GRIT	F
HEAD SIZE	1.2
HEAD LENGTH	10.0
TOTAL LENGTH	23.0



F856	
(mm)	
ORDER NO.	F856/010
GRIT	F
HEAD SIZE	1.0
HEAD LENGTH	8.0
TOTAL LENGTH	21.0

F856



F852	
(mm)	
ORDER NO.	F852/010
GRIT	F
HEAD SIZE	1.0
HEAD LENGTH	6.0
TOTAL LENGTH	20.0

F852



POINTED CONE	
(mm)	
ORDER NO.	F858/010
GRIT	F
HEAD SIZE	1.0
HEAD LENGTH	8.0
TOTAL LENGTH	21.0



F859



F878K	
(mm)	
ORDER NO.	F878K/008
GRIT	F
HEAD SIZE	0.8
HEAD LENGTH	8.0
TOTAL LENGTH	22.0

F878K



TORPEDO	
(mm)	
ORDER NO.	F878K/010
GRIT	F
HEAD SIZE	1.0
HEAD LENGTH	8.0
TOTAL LENGTH	22.0



F879K




F368	
(mm)	
ORDER NO.	F368/016
GRIT	F
HEAD SIZE	1.6
HEAD LENGTH	4.5
TOTAL LENGTH	18.0

F368



PEACHES	
(mm)	
ORDER NO.	F368/019
GRIT	F
HEAD SIZE	1.9
HEAD LENGTH	5.0
TOTAL LENGTH	19.0



F379

ROUND	
(mm)	
ORDER NO.	F801/016
GRIT	F
HEAD SIZE	1.6
HEAD LENGTH	19.0
TOTAL LENGTH	19.0


F801

ROUND	
(mm)	
ORDER NO.	F801/021
GRIT	F
HEAD SIZE	2.1
HEAD LENGTH	19.0
TOTAL LENGTH	19.0

F860



FLAME	
(mm)	
ORDER NO.	F860/008
GRIT	F
HEAD SIZE	0.8
HEAD LENGTH	4.0
TOTAL LENGTH	19.0



F862


MINI	
(mm)	
ORDER NO.	014
GRIT	F
HEAD SIZE	1.4
HEAD LENGTH	10.0
TOTAL LENGTH	21.0

F889

MINI	
(mm)	
ORDER NO.	014
GRIT	F
HEAD SIZE	1.4
HEAD LENGTH	10.0
TOTAL LENGTH	21.0

MINI

MINI	
(mm)	
ORDER NO.	014
GRIT	F
HEAD SIZE	1.4
HEAD LENGTH	10.0
TOTAL LENGTH	21.0





DIAMONDS

FG SUPER FINE 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

SF801

ROUND

(mm)

ORDER NO.	SF801/016	SF801/021
GRIT	SF	SF
HEAD SIZE	1.6	2.1
TOTAL LENGTH	19.0	19.0



SF846

TAPER FLAT END

(mm)

ORDER NO.	SF846/014
GRIT	SF
HEAD SIZE	1.4
HEAD LENGTH	7.0
TOTAL LENGTH	20.0



SF846L

0.8

ORDER NO.	SF846L/014
GRIT	SF
HEAD SIZE	1.4
HEAD LENGTH	8.0
TOTAL LENGTH	21.0



SF847

0.7

ORDER NO.	SF847/012	SF847/014
GRIT	SF	SF
HEAD SIZE	1.2	1.4
HEAD LENGTH	8.0	8.0
TOTAL LENGTH	21.0	21.0



SF848

FLAT END TAPER

(mm)

ORDER NO.	SF848/012	SF848/014
GRIT	SF	SF
HEAD SIZE	1.2	1.4
HEAD LENGTH	10.0	10.0
TOTAL LENGTH	23.0	23.0



SF852

POINTED CONE

(mm)

ORDER NO.	SF852/010
GRIT	SF
HEAD SIZE	1.0
HEAD LENGTH	6.0
TOTAL LENGTH	20.0




SF858

ORDER NO.	SF858/010	SF858/012
GRIT	SF	SF
HEAD SIZE	1.0	1.2
HEAD LENGTH	8.0	8.0
TOTAL LENGTH	21.0	21.0



SF859

ORDER NO.	SF859/009	SF859/010	SF859/012
GRIT	SF	SF	SF
HEAD SIZE	0.9	1.0	1.2
HEAD LENGTH	11.0	10.0	10.0
TOTAL LENGTH	23.0	23.0	23.0



SF850

ROUND END TAPER

(mm)

ORDER NO.	SF850/012	SF850/014	SF850/016	SF850/019	SF850/023
GRIT	SF	SF	SF	SF	SF
HEAD SIZE	1.2	1.4	1.6	1.9	2.3
HEAD LENGTH	10.0	10.0	10.0	10.0	10.0
TOTAL LENGTH	23.0	23.0	23.0	23.0	23.0



SF856

ORDER NO.	SF856/010	SF856/012	SF856/014	SF856/019	SF856/014A	SF856/016A
GRIT	SF	SF	SF	SF	SF	SF
HEAD SIZE	1.0	1.2	1.4	1.9	1.4	1.6
HEAD LENGTH	8.0	8.0	8.0	8.0	9.0	10.0
TOTAL LENGTH	21.0	21.0	21.0	21.0	22.0	23.0



SF830

PEARS


(mm)

ORDER NO.	SF830/016
GRIT	SF
HEAD SIZE	1.6
HEAD LENGTH	5.0
TOTAL LENGTH	19.0



SF830L

ORDER NO.	SF830L/014	SF830L/020
GRIT	SF	SF
HEAD SIZE	1.4	2.0
HEAD LENGTH	5.0	5.0
TOTAL LENGTH	19.0	19.0



SF860

FLAME


(mm)

ORDER NO.	SF860/008	SF860/010
GRIT	SF	SF
HEAD SIZE	0.8	1.0
HEAD LENGTH	4.0	4.0
TOTAL LENGTH	19.0	19.0



SF862

ORDER NO.	SF862/010	SF862/012	SF862/014
GRIT	SF	SF	SF
HEAD SIZE	1.0	1.2	1.4
HEAD LENGTH	8.0	8.0	8.0
TOTAL LENGTH	21.0	21.0	21.0



SF889

ORDER NO.	SF889/006
GRIT	SF
HEAD SIZE	0.6
HEAD LENGTH	3.0
TOTAL LENGTH	21.0





DIAMONDS

FG SUPER FINE 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine


SF878K



TORPEDO


(mm)

ORDER NO.	SF878K/008	SF878K/010	SF878K/014	SF878K/016
GRIT	SF	SF	SF	SF
HEAD SIZE	0.8	1.0	1.4	1.6
HEAD LENGTH	8.0	8.0	8.0	8.0
TOTAL LENGTH	22.0	22.0	21.0	21.0



SF879K

ORDER NO.	SF879K/010	SF879K/012	SF879K/014
GRIT	SF	SF	SF
HEAD SIZE	1.0	1.2	1.4
HEAD LENGTH	10.0	10.0	10.0
TOTAL LENGTH	23.0	23.0	23.0




SF368



PEACHES

(mm)

ORDER NO.	SF368/016	SF368/019	SF368/021
GRIT	SF	SF	SF
HEAD SIZE	1.6	1.9	2.1
HEAD LENGTH	4.5	5.0	5.0
TOTAL LENGTH	19.0	19.0	20.0



SF379

ORDER NO.	SF379/023
GRIT	SF
HEAD SIZE	2.3
HEAD LENGTH	5.0
TOTAL LENGTH	20.0



SFS859

MINI TYPE

(mm)

ORDER NO.	SFS859/010
GRIT	SF
HEAD SIZE	1.0
HEAD LENGTH	9.0
TOTAL LENGTH	19.0



MINI TYPE

MINI TYPE

(mm)


ORDER NO.	224-014
GRIT	SF
HEAD SIZE	1.4
HEAD LENGTH	10.0
TOTAL LENGTH	21.0



MINI TYPE

(mm)


ORDER NO.	220B-016	228-014	229-016
GRIT	SF	SF	SF
HEAD SIZE	1.6	1.4	1.6
HEAD LENGTH	8.0	10.0	10.0
TOTAL LENGTH	19.0	21.0	21.0



MINI TYPE

(mm)

ORDER NO.	220-014	220A-016
GRIT	SF	SF
HEAD SIZE	1.4	1.6
HEAD LENGTH	8.0	8.0
TOTAL LENGTH	18.0	18.0



MINI TYPE

(mm)

ORDER NO.	225-012	225B-014
GRIT	SF	SF
HEAD SIZE	1.2	1.4
HEAD LENGTH	9.0	10.0
TOTAL LENGTH	20.0	20.0





DIAMONDS

FG SPECIALTY 19-24mm


SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

839



END CUTTING	
(mm)	
ORDER NO.	839/010 839/012 839/012A 839/014
GRIT	
HEAD SIZE	1.0 1.2 1.2 1.4
TOTAL LENGTH	21.0 21.0 18.0 21.0


MINI



857



SAFE END TAPER	
(mm)	
ORDER NO.	857/014 857/016 857/015
GRIT	
HEAD SIZE	1.4 1.6 1.5
HEAD LENGTH	10.0 10.0 10.0
TOTAL LENGTH	23.0 23.0 22.0



EASY COMPOSITE POLISH	
(mm)	
ORDER NO.	R1F-028 R2F-030
GRIT	
HEAD SIZE	2.8 3.0
HEAD LENGTH	4.0 3.0
TOTAL LENGTH	19.0 19.0



EASY COMPOSITE POLISH	
(mm)	
ORDER NO.	R1SF-028 R2SF-030
GRIT	
HEAD SIZE	2.8 3.0
HEAD LENGTH	4.0 3.0
TOTAL LENGTH	19.0 19.0




OPEN CHAMFER	
(mm)	
ORDER NO.	85B-018 75D-018 75-016 75A-018
GRIT	
HEAD SIZE	1.8 1.8 1.6 1.8
HEAD LENGTH	8.0 9.0 10.0 10.0
TOTAL LENGTH	19.0 20.0 22.0 21.0

OPEN CHAMFER MINI	
(mm)	
ORDER NO.	275-016 275B-016 275A-018
GRIT	
HEAD SIZE	1.6 1.6 1.8
HEAD LENGTH	7.5 8.5 8.5
TOTAL LENGTH	17.0 19.0 19.0



DEPTH MAKER	
(mm)	
ORDER NO.	76-025
GRIT	
HEAD SIZE	2.5
HEAD LENGTH	10.0
TOTAL LENGTH	23.0





DIAMONDS

FG SPECIALTY 19-24mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine

16mm SUPER MINI BIR (mm)

ORDER NO.	237SS-016	237C-016
GRIT		
HEAD SIZE	1.6	1.6
HEAD LENGTH	7.0	7.0
TOTAL LENGTH	16.0	16.0

16mm SUPER MINI FINISHING BUR (mm)

ORDER NO.	237SSF-016
GRIT	
HEAD SIZE	1.6
HEAD LENGTH	7.0
TOTAL LENGTH	16.0


SUPER MINI BUR (mm)

ORDER NO.	217A-010
GRIT	
HEAD SIZE	1.0
HEAD LENGTH	7.5
TOTAL LENGTH	17.0



AXIAL PIN DIAMONDS (mm)

ORDER NO.	X2-016	X3-018
GRIT		
HEAD SIZE	1.6	1.8
HEAD LENGTH	9.0	9.0
TOTAL LENGTH	22.0	22.0




VENEER BUR (mm)

ORDER NO.	X03-016	X05-021	X1A-025	X1B-035
GRIT				
HEAD SIZE	1.6	2.1	2.5	3.5
TOTAL LENGTH	23.0	23.0	19.0	19.0
DEPTH	0.3	0.5	0.45	0.9

PREPARATION OF PROXIMAL SURFACE OF TEETH (mm)

ORDER NO.	55-010
GRIT	
HEAD SIZE	1.0
HEAD LENGTH	11.0
TOTAL LENGTH	24.0





IMPLANT BUR (mm)

ORDER NO.	L2-020	L3-030
GRIT		
HEAD SIZE	2.0	3.0
HEAD LENGTH	2.0	2.0
TOTAL LENGTH	26.0	26.0

ROOT PLANING BUR (mm)

ORDER NO.	RAF856-010	RAF368-010	RAF856-010	RAF368-010
GRIT				
HEAD SIZE	1.0	1.0	1.0	1.0
HEAD LENGTH	7.0	5.0	7.0	5.0
TOTAL LENGTH	28.0	28.0	28.0	28.0






DIAMONDS

FG WATER COOLING SURGICAL BUR



SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine




FG COOL SURGICAL DIAMOND BUR (mm)	
COOLING TYPE	D151-25mm D151-28mm
GRIT	
HEAD SIZE	1.7 1.7
HEAD LENGTH	10.0 10.0
TOTAL LENGTH	25.0 28.0



FG COOL SURGICAL DIAMOND BUR (mm)	
COOLING TYPE	25mm 28mm
ORDER NO.	OS-D14 OS-D16 OS-D18 OS-D14 OS-D16 OS-D18
HEAD SIZE	1.4 1.6 1.8 1.4 1.6 1.8
HEAD LENGTH	1.4 1.6 1.8 1.4 1.6 1.8
TOTAL LENGTH	25.0 25.0 25.0 28.0 28.0 28.0





FG SURGICAL DIAMOND BUR (mm)	
ORDER NO.	52L-32mm 55L-32mm 77L-32mm
HEAD SIZE	1.2 1.0 1.2
HEAD LENGTH	10.0 11.0 10.0
TOTAL LENGTH	32.0 32.0 32.0



801L





FG SURGICAL DIAMOND BUR (mm)	
ORDER NO.	801L-#1B 801L-#1A 801L-#1
HEAD SIZE	1.2 1.4 1.6
TOTAL LENGTH	25.0 25.0 25.0



850L



FG SURGICAL DIAMOND BUR (mm)	
GRIT	850L-#3 850L-#2 850L-#4
HEAD SIZE	1.4 1.6 1.8
HEAD LENGTH	12.0 12.0 12.0
TOTAL LENGTH	25.0 25.0 25.0









CARBIDES & UNIVERSAL CUTTERS

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine


	OS CARBIDES (Surgical Carbide)			
	(mm)			
	ORDER NO.	OS4	OS6	OS8
	HEAD SIZE	1.2	1.6	2.3
	TOTAL LENGTH	25	25	25

	FG CARBIDE (Crown Cutter)								
	(mm)								
	ORDER NO.	FG3	FG4	FG330	FG331	FG332	FG1558	FG701	FG701L
	HEAD SIZE	1.2	1.4	0.8	1.0	1.2	1.2	1.0	1.0
	TOTAL LENGTH	19.0	19.0	19.0	19.0	19.0	19.0	19.0	21.0



	RA CARBIDE						
	(mm)						
	ORDER NO.	RA3	RA4	RA5	RA6	RA7	RA8
	HEAD SIZE	1.2	1.4	1.6	1.8	2.1	2.3
	SHANK	RA	RA	RA	RA	RA	RA


TRIMMING & FINISHING CARBIDE				
	(mm)			
	ORDER NO.	9406	9214	9716
	HEAD SIZE	1.8	1.0	2.2
	TOTAL LENGTH	19.0	22.0	19.0





Remove ortho bonding(glue)



Order No 9406

SURGICAL CARBIDE			
	(mm)		
	ORDER NO.	151	2158
	HEAD SIZE	1.4	1.2
	TOTAL LENGTH	25.0	19.0



CROWN CUTTER OF POSTERIOR TEETH					
	(mm)				
	ORDER NO.	s330	s331	s332	s701
	HEAD SIZE	0.8	1.0	1.2	1.0
	TOTAL LENGTH	16.0	16.0	16.0	16.0



DIAMONDS

RA 22-26mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine



ROUND								
(mm)								
ORDER NO.	R801/009	R801/010	R801/012	R801/014	R801/016	R801/018	R801/021	R801/023
GRIT	M	M	M	M	M	M	M	M
HEAD SIZE	0.9	1.0	1.2	1.4	1.6	1.8	2.1	2.3
HEAD LENGTH	1.0	1.0	1.0	1.5	1.5	2.0	2.0	2.0
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0



ROUND W / COLLAR						
(mm)						
ORDER NO.	R802/009	R802/010	R802/012	R802/014	R802/016	R802/018
GRIT	M	M	M	M	M	M
HEAD SIZE	0.9	1.0	1.2	1.4	1.6	1.8
HEAD LENGTH	3.0	3.0	3.0	3.0	3.5	3.5
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0	22.0



INVERTED CONE					
(mm)					
ORDER NO.	R805/009	R805/010	R805/012	R805/014	R805/016
GRIT	M	M	M	M	M
HEAD SIZE	0.9	1.0	1.2	1.4	1.6
HEAD LENGTH	1.0	1.5	1.5	1.5	2.0
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0



CYLINDER - FLAT END									
(mm)									
ORDER NO.	R835/009	R835/010	R835/012	R835/014	R835/016	R837/012	R837/014	R837/016	R886/014
GRIT	M	M	M	M	M	M	M	M	M
HEAD SIZE	0.9	1.0	1.2	1.4	1.6	1.2	1.4	1.6	1.4
HEAD LENGTH	4.0	4.5	4.5	4.5	4.5	7.0	7.5	7.0	9.5
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0	24.0	24.0	24.0	26.0



TAPER- FLAT END						
(mm)						
ORDER NO.	R845/010	R845/012	R848/012	R848/014	R848/016	R848/018
GRIT	M	M	M	M	M	M
HEAD SIZE	1.0	1.2	1.2	1.4	1.6	1.8
HEAD LENGTH	4.0	4.0	10.0	10.0	10.0	10.0
TOTAL LENGTH	22.0	22.0	26.0	26.0	26.0	26.0





DIAMONDS

RA 22-26mm

SC	Super Coarse
C	Coarse
M	Medium
F	Fine
SF	Super Fine



TAPER-ROUND END			
(mm)			
ORDER NO.	R850/012	R850/014	R850/016
GRIT	M	M	M
HEAD SIZE	1.2	1.4	1.6
HEAD LENGTH	10.0	10.0	10.0
TOTAL LENGTH	26.0	26.0	26.0



PEACHES					
(mm)					
ORDER NO.	R368/012	R368/014	R368/016	R368/018	R368/023
GRIT	M	M	M	M	M
HEAD SIZE	1.2	1.4	1.6	1.8	2.3
HEAD LENGTH	3.0	3.0	6.0	6.0	6.0
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0



PEARS					
(mm)					
ORDER NO.	R830/010	R830/012	R830/014	R830/016	R830L/023
GRIT	M	M	M	M	M
HEAD SIZE	1.0	1.2	1.4	1.6	1.6
HEAD LENGTH	3.0	3.0	3.5	3.5	4.0
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0



POINED CONE					
(mm)					
ORDER NO.	R852/012	R859/012	R859/014	R859/016	R859/018
GRIT	M	M	M	M	M
HEAD SIZE	1.2	1.2	1.4	1.6	1.8
HEAD LENGTH	6.0	10.0	10.0	10.5	10.5
TOTAL LENGTH	22.0	22.0	22.0	22.0	22.0






FG GOLD

	ROUND			
	(mm)			
	ORDER NO.	801/012	801/014	801/016
	GRIT	C	C	C
	HEAD SIZE	1.2	1.4	1.6
	HEAD LENGTH	1.0	1.5	1.5
	TOTAL LENGTH	19.0	19.0	19.0
SHANK	FG	FG	FG	

	INVERTED CONE		
	(mm)		
	ORDER NO.	805/014	805/016
	GRIT	C	C
	HEAD SIZE	1.4	1.6
	HEAD LENGTH	1.5	1.5
	TOTAL LENGTH	19.0	19.0
SHANK	FG	FG	

	CYLINDER-FLAT END	
	(mm)	
	ORDER NO.	837/014
	GRIT	C
	HEAD SIZE	1.4
	HEAD LENGTH	8.0
	TOTAL LENGTH	21
SHANK	FG	

	TAPER-FLAT END					
	(mm)					
	ORDER NO.	847/014	847/018	848/012	848/014	848/016
	GRIT	C	C	C	C	C
	HEAD SIZE	1.4	1.8	1.2	1.4	1.6
	HEAD LENGTH	8.0	8.0	10.0	10.0	10.0
	TOTAL LENGTH	21.0	21.0	23.0	23.0	23.0
SHANK	FG	FG	FG	FG	FG	

	TAPER-ROUND END						
	(mm)						
	ORDER NO.	850/012	850/014	856/023	850/016	850L/016	856/014
	GRIT	C	C	C	C	C	C
	HEAD SIZE	1.2	1.4	2.3	1.6	1.6	1.4
	HEAD LENGTH	10.0	10.0	8.0	10.0	10.0	8.0
	TOTAL LENGTH	23.0	23.0	21.0	23.0	23.0	21.0
SHANK	FG	FG	FG	FG	FG	FG	

	PEARS	
	(mm)	
	ORDER NO.	830L/022
	GRIT	C
	HEAD SIZE	2.2
	HEAD LENGTH	5.0
	TOTAL LENGTH	21.0
SHANK	FG	









Bonart co., Ltd

FG GOLD





	POINTED CONE				
	(mm)				
	ORDER NO.	858/012	859/012	859/014	859/021
	GRIT	C	C	C	C
	HEAD SIZE	1.2	1.2	1.4	2.1
	HEAD LENGTH	9.0	9.0	10.0	10.0
	TOTAL LENGTH	21.0	23.0	23.0	23.0
	SHANK	FG	FG	FG	FG



	CYLINDER-ROUND END	
	(mm)	
	ORDER NO.	881/022
	GRIT	C
	HEAD SIZE	2.2
	HEAD LENGTH	8.0
	TOTAL LENGTH	21
	SHANK	FG






	PEACHES	
	(mm)	
	ORDER NO.	368/021
	GRIT	C
	HEAD SIZE	2.1
	HEAD LENGTH	5.0
	TOTAL LENGTH	19.0
	SHANK	FG

	DONUT	
	(mm)	
	ORDER NO.	909/042
	GRIT	C
	HEAD SIZE	4.2
	HEAD LENGTH	1.5
	TOTAL LENGTH	19.0
	SHANK	FG

FG GOLD SHORT

	TAPER-FLAT END			
	(mm)			
	ORDER NO.	S847/016	S848/012	S848/016
	GRIT	C	C	C
	HEAD SIZE	1.6	1.2	1.6
	HEAD LENGTH	8.0	8.0	10.0
	TOTAL LENGTH	19.0	20.0	20.0
	SHANK	FG SHORT		

	CYLINDER-ROUND END	
	(mm)	
	ORDER NO.	S881/022
	GRIT	C
	HEAD SIZE	2.2
	HEAD LENGTH	8.0
	TOTAL LENGTH	16.0
	SHANK	FG SHORT

	POINTED CONE				
	(mm)				
	ORDER NO.	S850/014	S850/016	S850/018	S856/014
	GRIT	C	C	C	C
	HEAD SIZE	1.4	1.6	1.8	1.4
	HEAD LENGTH	10.0	8.0	8.0	8.0
	TOTAL LENGTH	21.0	21.0	21.0	17.0
	SHANK	FG SHORT			

	POINTED CONE	
	(mm)	
	ORDER NO.	S859/021
	GRIT	C
	HEAD SIZE	2.1
	HEAD LENGTH	9.5
	TOTAL LENGTH	23.0
	SHANK	FG SHORT


COOL TWISTER LINE

SOLUTIONS FOR TOOTH PREPARATION

COOLTWISTER HAS THE SHARPNESS OF CARBIDE
AND THE SUPER STRENGTH OF DIAMONDS


1 Super Cooling Effect :

Avoid temperature rising
during treatment and
minimize the risk of purple
lesion.



2 Unique Spiral Grooves :

Self removal of
debris and clog free



3 High Speed Cutting Force :

High cutting efficiency with multi-cutting
edges.



4 Smooth Finished Surface :

Excellent surface area quality and
Margins protection



FG

STANDARD TYPE



TAPER-ROUND END (mm)		850/012	850/014	850/016	856/012	856/014	856/016	856/018	856/018A
ORDER NO.		850/012	850/014	850/016	856/012	856/014	856/016	856/018	856/018A
GRIT		C	C	C	C	C	C	C	C
HEAD SIZE		1.2	1.4	1.6	1.2	1.4	1.6	1.8	1.8
HEAD LENGTH		10.0	10.0	10.0	8.0	8.0	8.0	8.0	8.0
TOTAL LENGTH		26.0	23.0	23.0	21.0	21.0	21.0	21.0	21.0
SHANK		FG	FG	FG	FG	FG	FG	FG	FG



ROUND (mm)		801/016
ORDER NO.		801/016
GRIT		C
HEAD SIZE		1.6
HEAD LENGTH		1.5
TOTAL LENGTH		19.0
SHANK		FG



INVERTED CONE (mm)		850/016
ORDER NO.		850/016
GRIT		C
HEAD SIZE		1.6
HEAD LENGTH		1.5
TOTAL LENGTH		19.0
SHANK		FG



PEARS (mm)		830L/022
ORDER NO.		830L/022
GRIT		C
HEAD SIZE		2.2
HEAD LENGTH		5.0
TOTAL LENGTH		19.0
SHANK		FG



PEACHES (mm)		368/023
ORDER NO.		368/023
GRIT		C
HEAD SIZE		2.3
HEAD LENGTH		5.0
TOTAL LENGTH		19.0
SHANK		FG



OGIVAL END TAPER (mm)		878K/016	879K/012	879K/014	879K/016
ORDER NO.		878K/016	879K/012	879K/014	879K/016
GRIT		C	C	C	C
HEAD SIZE		1.6	1.2	1.4	1.6
HEAD LENGTH		8.0	10.0	10.0	10.0
TOTAL LENGTH		21.0	23.0	23.0	23.0
SHANK		FG	FG	FG	FG



CYLINDER FLAT END (mm)		837/012	837/014
ORDER NO.		837/012	837/014
GRIT		C	C
HEAD SIZE		1.2	1.4
HEAD LENGTH		8.0	8.0
TOTAL LENGTH		20.0	20.0
SHANK		FG	FG

FG

SHORT TYPE



TAPER-FLAT END (mm)		S848/012	S848/014
ORDER NO.		S848/012	S848/014
GRIT		C	C
HEAD SIZE		1.2	1.4
HEAD LENGTH		8.0	10.0
TOTAL LENGTH		19.0	20.0
SHANK		FG SHORT	FG SHORT



TAPER-ROUND END (mm)		S850/018	S850/014	S856/016	S856/018
ORDER NO.		S850/018	S850/014	S856/016	S856/018
GRIT		C	C	C	C
HEAD SIZE		1.8	1.4	1.6	1.8
HEAD LENGTH		10.0	8.0	8.0	8.0
TOTAL LENGTH		21.0	19.0	19.0	19.0
SHANK		FG SHORT	FG SHORT	FG SHORT	FG SHORT



OGIVAL END TAPER (mm)		S879K/014	S879K/016
ORDER NO.		S879K/014	S879K/016
GRIT		C	C
HEAD SIZE		1.4	1.6
HEAD LENGTH		10.0	10.0
TOTAL LENGTH		20.0	20.0
SHANK		FG SHORT	FG SHORT

CT-1 CROWN CUTTER

Revolutionary Crown Cutting Solution With Water Cooling!

1

A better performance than tungsten carbide
No breakage · No slippery
No vibration

2

Unique design of the sharpness of
Carbide and the strength of diamond
to increase

Cutting Methods:

1. No need to place CT-1 at 45
deree on the crown
2. Apply directly on the crown
3. Just sliding up and down to
cut the crown



CT-1

CROWN CUTTER


	CT-1	Tungsten Carbide
Zirconia	Can cut, the cutting efficiency varies with different thickness and materials.	×
PFM Semi metal Precious metal	No Slippery, cutting efficiency is better than carbide.	Slippery will happen, cutting efficiency is less than CT-1.
Base metal Dental bridge	No breakage, no vibration, the cutting efficiency varies with different thickness and materials.	Breakage will happen due to vibration, need at least 3 burs.
Cutting method	Can apply parallel on the crown directly, quick cut	Need to apply carbide at 45° angle on the crown. Less cutting efficiency.

Cutting Zirconia Crown



Cutting Dental Bridge



	TAPER-ROUND END			(mm)
	ORDER NO.	CT-1	CT-2	CT-3
GRIT	SC	SC	SC	SC
HEAD SIZE	1.8	1.8	1.3	1.3
HEAD LENGTH	6.0	8.0	6.0	6.0
TOTAL LENGTH	21.0	21.0	21.0	21.0
SHANK	FG	FG	FG	FG

A close-up photograph of a dental soft tissue trimming bur. The bur is a conical, light-colored tool with a sharp tip, held by a silver-colored metal handle. It is positioned diagonally from the top right towards the center. A bright blue light emanates from the tip, creating a starburst effect against a dark background. A thin white line curves across the lower part of the image.

SOFT TISSUE TRIMMING BUR

- 1** Replacement of blade, gingival cord packer, high-frequency electric knife.
- 2** Cutting soft tissue faster, less bleeding, patients less painful, easier to operate.
- 3** Grinding the bone covered the implant effectively.

SOFT TISSUE TRIMMING BUR

USE ON IMPLANT

No flat elevation is needed in the second stage surgery because soft tissue can be removed minimally invasive by soft tissue trimming bur. Operation time is shortened and no suture is needed. Advantages: no bleeding and swelling happened in end result.

(Picture 1.)

To proceed with surgery, first must locate the position of the implant. After applying anesthetic, the soft tissue trimming bur needs to be placed at 90 degrees to the surface of the implant. Slowly rotate clockwise and press gently to cut the gingiva to expose the implant for putting the healing abutment.

In the second stage flap implant surgery, the bone covered the implant can be ground easily without wearing the surface of the implant.


USE ON NATURAL TOOTH

Better than surgical blades, soft tissue trimming bur is finer, lighter and faster to remove hyperplastic gingival tissue covering the impacted tooth to expose natural tooth.

When tooth decay occurs at the root, the soft tissue trimming bur can quickly remove the hyperplastic gingiva which is easy for a dentist to fill the tooth.

In the process of making crown preparation, you can use the soft tissue trimming bur to remove the surrounding gingiva gently and make the impression precisely.







(Picture 2.)












NOTICE:

1. Do not cut the gingiva when they are inflamed.
2. The soft tissue trimming bur needs to be cooled by water during the whole process.
3. Sterilize the soft tissue trimming bur like other surgical instrument.
4. After disinfection, the soft tissue trimming bur must be stored properly to safeguard its tip to maintain its sharpness performance.

ABRASIVE-STONES (FG TYPE/RA TYPE)

 <p>FG WHITE STONE / EXCELLENT FOR COMPOSITE FINISHING RESTORATION</p> <p>← 19 - 24 mm → (mm)</p>											
	ORDER NO.	F1	F2	F3	F4	F5	F6	F7	F8	F9	F10
	HEAD SIZE	2.5	2.5	2.5	3.0	3.0	3.0	2.5	4.5	2.5	2.4
	HEAD LENGTH	4.5	7.0	7.0	7.0	7.0		4.0	2.3	4.0	5.5
	SHANK	FG	FG	FG	FG	FG	FG	FG	FG	FG	FG

MADE OF MICROGRAINED ALUMINUM OXIDE.

 <p>RA WHITE STONE / EXCELLENT FOR COMPOSITE FINISHING RESTORATION</p> <p>← 22 mm → (mm)</p>									
	ORDER NO.	WW1	WW2	WW3	WW4	WW5	WW6	WW7	WW8
	HEAD SIZE	2.5	2.5	2.5	3.0	3.0	3.0	2.5	4.5
	HEAD LENGTH	4.5	7.0	7.0	7.0	7.0		4.0	2.3
	SHANK	RA	RA	RA	RA	RA	RA	RA	RA

MADE OF MICROGRAINED ALUMINUM OXIDE.

 <p>FG GREEN STONE / EXCELLENT FOR AMALGAM, PRECIOUS & SEMI-PRECIOUS ALLOYS</p> <p>← 19 - 24 mm → (mm)</p>									
	ORDER NO.	FR1	FR2	FR3	FR4	FR5	FR6	FR7	FR8
	HEAD SIZE	2.5	2.5	2.5	3.0	3.0	3.0	2.5	4.5
	HEAD LENGTH	4.5	7.0	7.0	7.0	7.0		4.0	2.3
	SHANK	FG	FG	FG	FG	FG	FG	FG	FG

MADE OF SILICON CARBIDE GRAINS.

 <p>RA GREEN STONE / EXCELLENT FOR AMALGAM, PRECIOUS & SEMI-PRECIOUS ALLOYS</p> <p>← 22 mm → (mm)</p>									
	ORDER NO.	WG1	WG2	WG3	WG4	WG5	WG6	WG7	WG8
	HEAD SIZE	2.5	2.5	2.5	3.0	3.0	3.0	2.5	4.5
	HEAD LENGTH	4.5	7.0	7.0	7.0	7.0		4.0	2.3
	SHANK	RA	RA	RA	RA	RA	RA	RA	RA

MADE OF SILI CARBIDE GRA.

ABRASIVE-STONES (HP)



	ORDER NO.	G 33	G35	G36	G37	G 38	G40	G 42	G43	G44
	HEAD SIZE	12.0	5.0	3.0	5.0	4.0	25.0	7.0	2.0	1.5
	HEAD LENGTH	5.0	6.0	6.0	3.0	2.0	6.0	4.0	6.0	5.5
SHANK	HP	HP	HP	HP	HP	HP	HP	HP	HP	



	ORDER NO.	G 45	G52	G53	G 60	G 2	G 9	G10	G13	
	HEAD SIZE	3.0	6.0	7.0	2.0	6.0	12.0	12.0	13.5	5.0
	HEAD LENGTH	11.0	4.0	3.0	6.0	10.0	4.0	5.0	4.0	17.0
SHANK	HP	HP	HP	HP	HP	HP	HP	HP	HP	



	ORDER NO.	G17	G 19	G 20	G 21	G28	G 29	G32	
	HEAD SIZE	6.0	5.0	4.0	3.0	2.5	3.0	4.0	2.0
	HEAD LENGTH		2.5	12.0	6.0	7.0	7.0	4.0	4.0
SHANK	HP	HP	HP	HP	HP	HP	HP	HP	

Ziconia/ EMAX POLISHING KIT



(B)RA TYPE



Step 1
RA-G1
Diamond Stone
 (Trimming and smoothing)



Step 2
RA-G2
Diamond Silicone
 (Pre-Polishing)



Step 3
RA-G3
Diamond Silicone
 (High-shine Polishing)



(A)HP TYPE



Step 1
HP-G1
Diamond Stone
 (Trimming and smoothing)



Step 2
RA-G2
Diamond Silicone
 (Pre-Polishing)



Step 3
RA-G3
Diamond Silicone
 (High-shine Polishing)

POLISHERS-SILICONE

METAL POLISHER

BROWN / SILICONE : PRE-POLISHING : FOR PRECIOUS, SEMI-PRECIOUS, NON-PRECIOUS METAL.	PRE-POLISHING(COARSE)					
(mm)						
ORDER NO.	B28	B13S	B13	B11	B10	B162
SHANK	HP	HP	HP	HP	HP	HP

BLUE / SILICONE : HIGH SHINE : FOR PRECIOUS, SEMI-PRECIOUS, NON-PRECIOUS METAL.	HIGH-SHINE(MEDIUM)					
(mm)						
ORDER NO.	R28	R13S	R13	R11	R10	R162
SHANK	HP	HP	HP	HP	HP	HP

PORCELAIN POLISHER

GRAY / SILICONE: PORCELAIN POLISHER			
	ORDER NO.	P10	P11
SHANK	HP	HP	HP

ARCYLIC RESIN REMOVING&POLISHING

SILICONE : ACRYLIC RESINS REMOVING AND POLISHING					
	ORDER NO.	SB147	SL147	SILICONE SG10	SILICONE SG11
GRIT SHANK	Coarse HP	Medium HP	FINE HP	FINE HP	FINE HP

BROWN / SILICONE: PRE-POLISHING: FOR PRECIOUS, SEMI-PRECIOUS, NON-PRECIOUS METAL.	PRE-POLISHING
 (mm)	
ORDER NO.	FG -B28
SHANK	FG

BLUE / SILICONE : HIGH SHINE : FOR PRECIOUS, SEMI-PRECIOUS, NON-PRECIOUS METAL.	HIGH-SHINE
 (mm)	
ORDER NO.	FG -R28
SHANK	FG

GRAY / SILICONE: PORCELAIN POLISHER	
	 (mm)
ORDER NO.	FG -W28
SHANK	FG







HP-1
10Pcs
Simple Packing

S-3
12Pcs
Same as Shoufu
For Hp Type

POLISHERS-SILICONE





AMALGAM, CARS-ALLOYS


PRE-POLISHING: AMALGAM, CAST-ALLOYS  (mm)		PRE-POLISHING			HIGH-SHINE POLISHING : AMALGAM, CAST ALLOYS  (mm)		HIGH-SHINE		
		WB9	WB28	WB30			WR9	WR28	WR30
ORDER NO.		RA	RA	RA	ORDER NO.		RA	RA	RA
SHANK					SHANK				

COMPOSITE POLISHER

SILICONE POLISHING: COMPOSITE  (mm)				
ORDER NO.		RA	RA	RA
SHANK				

PROPHY BRUSHES (mm)												
							2112	2113	2114	2115	2116	
							SCREW	RA	RA	RA	RA	
							DIAMETER Ø	4.5MM	6.0MM	4.5MM	4.5MM	2.3MM
							COLOR	WHITE	WHITE/GREEN/PINK	WHITE/GREEN/PINK	WHITE/GREEN/PINK	WHITE

WHITE(HARD) BLUE(MEDIUM) YELLOW/GREY(SOFT)							
					2101	2102	2104
					SNAP ON	SCREW	RA
					DIAMETER Ø	6.0MM	6.0MM
					COLOR	WHITE/BLLUE/YELLOW/GREY	WHITE/BLLUE/YELLOW/GREY

WHITE(HARD) BLUE(MEDIUM) YELLOW/GREY(SOFT)			
		(mm)	
		ORDER NO.	2105
		SHANK	RA
		DIAMETER Ø	6.0MM
COLOR	WHITE		





Shine Lisher[®]

Japan Technology



SOLUTIONS FOR

- ✧ -Polishing Denture
- ✧ -Polishing Metal
- ✧ -Polishing Temporary Crown
- ✧ -Replaced Traditional Silicon Polisher

Instruction:

1. RPM 6000~10000.
2. Please turn clockwise when Using the handpeice

Benefits:

1. Easy and efficient processing
2. Excellent polishing result after working short working time.
3. Long service life

SUPERB SHINE FOR

POLISHING



STEP.1
Deep Scars Removing
Gray ShineLisher(Hard)



STEP.2
Shallow Scars Removing
Purple ShineLisher



STEP.3
Instant Polishing
Yellow ShineLisher



STEP.4
Glazing
Pink ShineLisher

INSTANT SHINE FOR

POLISHING



STEP.1
Shallow Scars Removing
Purple ShineLisher(Soft)



STEP.2
Instant Polishing
Yellow ShineLisher



STEP.3
Green ShineLisher
High-shine polishing with ShineLisher
without polishing paste



5 shanks+10 wheels

TUNGSTEN CARBIDE BURS-PLAN CUT

PLAIN CUT STANDARD								
(mm)								
ORDER NO.	S-1544-11	S-1545-11	S-1546-11	S-1547-11	S-1548-11	S-1549-11	S-1550-11	S-5370.60-11
GRIT	12.0	14.0	12.5	12.0	14.0	15.0	13.0	12.0
HEAD SIZE	60.0	60.0	60.0	60.0	60.0	60.0	45.0	60.0

PLAIN CUT STANDARD								
(mm)								
ORDER NO.	D-1501-22	D-1502-22	D-1506-22	D-1507-22	D-1508-02-22	D-1509-22	D-1510-22	D-1251-22
GRIT	14.0	16.0	12.0	12.0	12.0	15.0	13.0	14.0
HEAD SIZE	23.0	23.0	60.0	60.0	60.0	60.0	45.0	60.0

PLAIN TOOTHING WITH CROSS CUT						
(mm)						
ORDER NO.	175-44	5775-44	7775-44	5275-44	6075-44	7275-44
GRIT	14.0	14.0	9.0	12.0	14.0	14.0
HEAD SIZE	23.0	45.0	40.0	60.0	70.0	60.0

PLAIN CUT STANDARD				
(mm)				
ORDER NO.	D-1571-22	D-1576-22	D-7010.60-22	D-7210.60-22
GRIT	17.0	14.0	11.0	14.0
HEAD SIZE	23.0	60.0	60.0	60.0

PLAIN CUT SUPER COARSE		
(mm)		
ORDER NO.	B-1591-33	B-1551-33
GRIT	14.0	14.0
HEAD SIZE	60.0	60.0



PACKING

ACCESSORIES

OUR MICRO-APPLICATOR PASSES SGS AND ABSORBENT YEST



ORDER NO.	R400	T400	B400
SIZE	FINE:1.0-1.2MM SUPER FINE:0.9-1.0MM	FINE:1.0-1.2MM SUPER FINE:0.9-1.0MM	FINE:1.0-1.2MM SUPER FINE:0.9-1.0MM
COLOR	YELLOW/PINK /GREEN/BLUE	YELLOW/PINK /GREEN/BLUE	YELLOW/PINK /GREEN/BLUE
PACKAGE	400PCS/PK	100PCS/PK	400PCS/PK

ALUMINUM TRAY UPPER



ORDER NO.	UP1	UP2	UP3	UP4	7
PACKAGE	INDIVIDUAL	INDIVIDUAL	INDIVIDUAL	INDIVIDUAL	INDIVIDUAL

TOWER



ORDER NO.	DOWN1	DOWN2	DOWN3	DOWN4	8
PACKAGE	INDIVIDUAL	INDIVIDUAL	INDIVIDUAL	INDIVIDUAL	INDIVIDUAL

MIRROR(Plane)



ORDER NO.	MIRROR4	MIRROR5	MIRROR HOLDER (HOLLOW)
PACKAGE	Φ22MM	Φ24MM	
SIZE	12PCS/BOX	12PCS/BOX	INDIVIDUAL



FOR SCALING
(Transparent color)

FOR LIGHT CURING
(Orange color)

SAFETY GLASSES

ORDER NO.	GLASSES-S	GLASSES-L
FUNCTION	FOR SCALING	FOR LIGHT CURING
SIZE	INDIVIDUAL	INDIVIDUAL

AUTOCLAVE BUR BOX

E1 ROUND : 9FG

ORDER NO.	E1
COLOR	RED/BLUE
SIZE / mm	ø40 x H55
PACKAGE	INDIVIDUAL



E2 ROUND-FILE

ORDER NO.	E2
COLOR	RED/BLUE
SIZE / mm	ø40 x H55
PACKAGE	INDIVIDUAL



E3 ROUND-GP

ORDER NO.	E3
COLOR	RED/BLUE
SIZE / mm	ø40 x H55
PACKAGE	INDIVIDUAL



F1-SQUARE-FILE

ORDER NO.	F1
COLOR	RED/BLUE
SIZE / mm	L64x W51xH51
PACKAGE	INDIVIDUAL



F2-SQUARE-14FG

ORDER NO.	F2
COLOR	RED/BLUE
SIZE / mm	L64x W51xH51
PACKAGE	INDIVIDUAL



F3-SQUARE-6HP/RA

ORDER NO.	F3
COLOR	RED/BLUE
SIZE / mm	L64x W51xH51
PACKAGE	INDIVIDUAL



F4-SQUARE-GP

ORDER NO.	F4
COLOR	RED/BLUE
SIZE / mm	L64x W51xH51
PACKAGE	INDIVIDUAL



G1-SQUARE-GP

ORDER NO.	G1
COLOR	RED/BLUE
SIZE / mm	L104x W57xH53
PACKAGE	INDIVIDUAL



G2-SQUARE : 16HP/RA

ORDER NO.	G2
COLOR	RED/BLUE
SIZE / mm	L104x W57xH53
PACKAGE	INDIVIDUAL



G3-SQUARE : TIP+HP

ORDER NO.	G3
COLOR	RED/BLUE
SIZE / mm	L104x W57xH53
PACKAGE	INDIVIDUAL



G4-SQUARE : 35FG

ORDER NO.	G4
COLOR	RED/BLUE
SIZE / mm	L104x W57xH53
PACKAGE	INDIVIDUAL



H1-STAINLESS BOX :

HOLDS 6 TIPS
L83mm x W26mm x H45 mm



ORDER NO.	H1
COLOR	SILVER
PACKAGE	INDIVIDUAL

H2-STAINLESS

BOX :
HOLDS 6 HP / RA BURS
L83mm x W26mm x H54mm



H3-STAINLESS BOX :

HOLDS 16FG
L83mm x W26mm x H31 mm



ORDER NO.	H3
COLOR	SILVER
PACKAGE	INDIVIDUAL

ORDER NO.	H2
COLOR	SILVER
PACKAGE	INDIVIDUAL

Wallet display and Plastic storage display for bur



C2-BUR STORAGE BOX
L 210mm x W 120mm xH 35mm

ORDER NO.	C2
COLOR	CLEAR
PACKAGE	INDIVIDUAL



PLASTIC DISPLAY BOOK
L 32cm x W 23.5cm / 500 SLOTS

COLOR	BLUE
PACKAGE	INDIVIDUAL



L 17cm x W 21cm / 40 SLOTS

COLOR	BLUE
PACKAGE	INDIVIDUA

BUR BLOCKS



PLASTIC BUR STAND-32FG
L 90mm x W 70mm x H 40mm

ORDER NO.	C1
COLOR	ORANGE
PACKAGE	INDIVIDUAL



D1 ALUMINUM BUR BLOCK:24FG+8RA
L 70mm x W 25mm x H 30mm

ORDER NO.	D1
COLOR	SILVER
PACKAGE	INDIVIDUAL



D2 ALUMINUM BUR BLOCK:18FG
L 48mm x W 25mm x H 30mm

ORDER NO.	D2
COLOR	SILVER
PACKAGE	INDIVIDUAL




D3 ALUMINUM ENDO HOLDER BOX -18 HOLES
L 60mm x W 26mm x H 53mm

ORDER NO.	D3
COLOR	SILVER
PACKAGE	INDIVIDUAL




D3 ALUMINUM ENDO HOLDER BOX -60 HOLES
L 110mm x W 60mm x H 55mm

ORDER NO.	D5
COLOR	SILVER
PACKAGE	INDIVIDUAL



A-1 White Hard Plastic (10Pcs)
A-2 Blue Hard Plastic (10Pcs)
A-4 Super-B Packing(10Pcs)
A-5 Plastic Packing(10Pcs)




A-1 White Hard Plastic (10Pcs)
A-2 Blue Hard Plastic (10Pcs)
A-4 Super-B Packing(10Pcs)
A-5 Plastic Packing(10Pcs)

X-RAY GUIDE HOLDER FILM HOLDER



RIGHT MAXILLARY MOLAR x 1PCS.
LEFT MAXILLARY MOLAR x 1PCS.
MAXILLARY INCISOR x 1PCS.



ORDER NO.	FILM HOLDER
PACKAGE	3PCS/PK

MANDRELS



ORDER NO.	308-1
DESCRIPTION	LONG HEAD
PACKAGE	BULK

SILICONE MIX RUBBER

ORDER NO.	SMALL	MEDIUM	LARGE	EXTRA LARGE
PACKAGE	Ø 2.5CM	Ø 3.5CM	Ø 5CM	Ø7CM



CUTTING DISCS

Any Size, We Can Make

STOCK SIZE



ORDER NO.	2202	2506	3806	FIBER-GLASS	ZR02
SIZE	22X0.2MM	25X0.6MM	38X0.6MM	38*1*1.8*2G	ZR02
PACKAGE	100PCS/ BOX	100PCS/ BOX	100PCS/ BOX	50PCS/ BOX	100PCS/ BOX

For Porcelain

For Metal

For Denture



MICRO BURNER R2001

ORDER NO.	R2001
PACKAGE	INDIVIDUAL



MICRO TORCH

ORDER NO.	MT770GS	HT900 W/SAFETY LOCK
PACKAGE	INDIVIDUAL	INDIVIDUAL



HT900 W/SAFETY LOCK

ORDER NO.	HT900 W/SAFETY LOCK
PACKAGE	INDIVIDUAL



LOGIC KITS

SILICON POLISHING KITS



A. METAL POLISHING HP BROWN & BLUE SILICONE (B28 ; B13S ; B13 ; R28 ; R13S ; R13) *2PCS, TOTAL 12 PCS	PRE-POLISHING			HIGH-SHINE POLISHING		
ORDER NO.	B28	B13S	B13	R28	R13S	R13
SHANK	HP	HP	HP	HP	HP	HP



B. PORCELAIN POLISHING HP GRAY SILICONE (P10 ; P11 ; P13) *4PCS ; TOTAL 12 PCS	SUPER HIGH SHINE POLISHING		
ORDER NO.	P10	P11	P13
SHANK	HP	HP	HP



C. ACRYLIC POLISHING HP GRAY SILICONE (SG10;SG11;SG13) *4PCS ; TOTAL 12 PCS	HIGH SHINE POLISHING		
ORDER NO.	SG10	SG11	SG13
SHANK	HP	HP	HP



D. AMALGAM POLISHING RA BROWN & BLUE SILICONE (WB9 ; WB28 ; WB30 ; WR9 ; WR28 ; WR30) *2PCS ; TOTAL 12 PCS	PRE-POLISHING			HIGH-SHINE POLISHING		
ORDER NO.	WB9	WB28	WB30	WR9	WR28	WR30
SHANK	RA	RA	RA	RA	RA	RA



E. COMPOSITE POLISHING FG WHITE STONE POINT (F4 ; F5) * 6PCS ; TOTAL 12 PCS	COMPOSITE POLISHING	
ORDER NO.	F4	F5
SHANK	FG	FG



F. COMPOSITE POLISHING-SILICON RA GRAY SILICON (WW9;WW28;WW30) * 4PCS ; TOTAL 12 PCS	SUPER HIGH SHINE POLISHING		
ORDER NO.	WW9	WW28	WW30
SHANK	RA	RA	RA



BONART

**UNITED STATES INITIAL DISTRIBUTOR
MAGPIE TECH. CORP.**

Tel: 626-600-5330 Fax: 626-600-5331

BONART CO., LTD. (Manufacturer)

No.80, Wuxun St., Anle Dist.,

Keelung City, 20446, Taiwan, R.O.C.

Tel: 886-2-22983980, Fax: 886-2-22983981

Web: <http://www.bonartmed.com>

Email: generalinquiries@bonartmed.com